OfficeServ Application Suite

(For the OfficeServ 100, OfficeServ 500, and OfficeServ 7000 Series Systems)

INTRODUCTION

The OfficeServ application suite consists of a number of applications designed to enhance the functionality and usability of the **Samsung OfficeServ 7000 Series**, **OfficeServ 500**, and **OfficeServ 100** telephone systems.

OfficeServ Link

1

- OfficeServ EasySet
- o OfficeServ Call
- o OfficeServ Operator
- OfficeServ OpenTSP

These applications, when installed on one or more Windows computers connected to the local area network, work together to provide an additional range of system configuration, call control and information handling features to the Samsung iDCS and OfficeServ 7000 product line of phone systems.

OfficeServ Link

The Link application provides a logical link between the OfficeServ telephone system and a Windows based computer acting as an applications server. This Link provides the basis of the communications between the Samsung iDCS and OfficeServ 7000 phone system and the LAN and provides the communications structure for the other applications.

OfficeServ EasySet

The EasySet application uses Internet Browser technology to provide system users with a quick and easy way to configure their Samsung digital telephones and IP phones.

OfficeServ Call

The OfficeServ Call application provides computer equipped users with a comprehensive range of telephony and call management functions at the desktop. These include dialing, screen popping, call logging and many more.

OfficeServ Operator

This application provides a Windows based Operator Console for the OfficeServ 100 and OfficeServ 500 telephone systems.

OfficeServ Open TSP

The OfficeServ Open TSP provides an industry standard; TAPI Compliant interface for 3rd party developers to create custom applications.

TYPICAL INSTALLATION

2

The OfficeServ Link application is installed on a Windows based PC connected to the local area network. This PC then acts as an application gateway server for the whole range of OfficeServ applications.

A typical installation is shown in the drawing below.

In this case OfficeServ Link and EasySet are both installed on the Link Gateway server. The OfficeServ Call and OfficeServ Operator application are installed on the client PC's.



The individual applications are described on the following individual sheets.

Enterprise IP Solutions OfficeServ Link

The OfficeServ Link application is a software application that links the Samsung iDCS or OfficeServ 7000 telephone systems to a Windows based computer.

The Link enables other software applications (both Samsung and third party) to interface with the Samsung iDCS or OfficeServ 7000 product line of telephone systems, and allows these applications to add additional functions and capabilities to the system.

The Link application includes a licensing module which must be used to register and authorize which applications are running on the system and number of users.

IP Address	Port No	User Type	Connect State	Connect Time	Configurati
IF Addless	FORNO	UserType	Connect state	Connect Time	-
					Option
					Connect
					End
<) >	End
otification Message Vi					. L
Time	Information				Monitor O
		Link Version for DCS K	eyphone System Series		SW M
• Mar 10, 2000 00	ounioung oniccoon		opphone opploine opploine		🔽 S/U М
					I⊄ Send S

OfficeServ Link Screen

Enterprise IP Solutions

OfficeServ **DataView**

The OfficeServ DataView application is a web-based tool designed to provide a powerful connection status monitoring and reporting package for the iDCS or OfficeServ key telephone systems.

DataView uses Internet Explorer to provide an intuitive interface to allow supervisors fast and easy access a wealth of information about phone system activity, both live and historical.

- Per System License Model
- Data stored in Microsoft Access database or SQL server
- Web-based client requires only Internet Explorer software
- Access to interface is through user accounts
 - Multilingual support per user account
- 47 statistical reports for trunk, station, voicemail, and automated attendant usage, as well as uniform call distribution and operator group statistics
 - All reports exported to Microsoft Excel with one click
 - o Abandoned Call List displays details of each lost call
 - Station and trunk port statistics list all calls to or from specific station or trunk, including detailed call information
- 18 live monitors track trunk, station, UCD, operator and VM/AA activity
- Report scheduling for daily, weekly or monthly statistics
- Agent PC wallboard-style display with programmable alarm thresholds

OfficeServ DataView							9/16/2	005 9:31:29 AM	
Administrator	UCD Group	p Abandoned C	all List						
Statistics ▶ Trunk		S	tart: 9/15/2005	11 . 00 .	End: 9/15/2005	5 🛐 11 💽 : 31	0 💽 Group: 58	30 Query	
	Summary								
 Station UCD 	Group Number	Group Name	Calls In	Abd Calls	Over-flow In	Abandoned Wait Time	Avg Time to Ab	d Abandoned Ratio	
 Operator Miscellaneous 	5830	Tech Supp	10	3	0	0:15:48	0:05:1	6 30.0%	
 Scheduled Reports 				Abandone	d Call List				
Monitoring	Number	Start	Time	Inbound #	DID #	CL	.I # Ab	Abandoned Wait Tim	
Trunk	1	9/15/2005 Al			6198	28144	464207	0:05:0	
Station UCD Miscellaneous	2	9/15/2005 At			6198	30523	330947	0:03:59	
 Miscellaneous WallBoard 	3	9/15/2005 At		6119	6198	30523	330947	0:06:49	
Configuration User Management Server Information				1					
 Report Scheduling Miscellaneous 									
 Personalize 									
								TO	

OfficeServ DataView

Enterprise IP Solutions OfficeServ EasySet

The OfficeServ EasySet application is a management tool designed to give OfficeServ users a simple and friendly way to configure the features and button assignments of their Samsung digital telephone.

The application uses Internet Explorer to display a representation of the users' telephone. Using a set of intuitive actions the user can configure many of the options available. Including:

- Change name, password and lock status.
- o Set call forwards and speed dial numbers
- Change volume settings
- o Change time and date format
- o Create and save a personal time schedule
- Set alarm calls and absence messages
- Review local call logs
- Change phone answer options

© OfficeServ Softphone Tue 15-03-2005 PM 01:12	AOM		
Tue 15-03-2005			
	= 2 CALL2		
DM 01.12	Z.OALLZ		
	3.NONE		
6801	4.NONE	Station Lock	
E 0801	- 2 5.NONE	Unlocked	
	6.NONE	Call Forward	
	7.MSG	Cancel Forward	
	8.NONE		
SAMSUNG	- 9.NONE	Station Name	
Conference Screen @Transfer @Hold @Speaker	10.NONE	RW Test	
	11.NONE	Alarm	
1 2.00 3.00	() 12.NONE		
	= 13.NONE		
4 OH 5 AL 6 MAD		Pgm Message	
7 pes 8 n. 9 www.	16.NONE	ryin wessage	
the second se			
* 0 and # mc @			. /
	19.NONE		
			1

OfficeServ EasySet Screen

Enterprise IP Solutions OfficeServ Call

The OfficeServ Call application is a call manager application with support for contact management, scheduling and call logging.

It is designed to provide Samsung telephone users with a simple way to manage incoming and outgoing calls. It offers the ability to link to personal databases to store contact names and details as well as personal call history.

It also provides a number of simple management tools designed to give Samsung telephone users a simple and friendly way to use the advanced features of the telephone on a day to day basis.

The key features are:

- Telephone control, including "Do not Disturb", call forwarding, station lock and many others.
- Call control including, dialling from the PC, or from a contact record, screen popping an incoming call from the internal database or from Microsoft Outlook.
- A busy lamp view of the Samsung iDCS or OfficeServ 7000 systems, showing the current status of all devices in the telephone system.
- o The ability to send text messages from the application to any other OfficeServ Call user.

🕘 OfficeSe	W Galli - rwalraven -	6716		
Eile	dit Directory C	all Control	Setup Option	Help
OutGoing	Call			
	Function	Frequency	Time	State
<u>_</u>				
A.	4			
	Number	Name	State	4 81
	ar			
	NoAns Fw	d DND Locked C	allBack Msg Lis	st Auto Ans

OfficeServ Call Screen

Enterprise IP Solutions OfficeServ Operator

The OfficeServ Operator is a Windows based operators Console for the Samsung iDCS or OfficeServ 7000 range of products.

It provides a complete call control facility for operators and reception staff within the company, and provides an easy to use and intuitive interface for handling calls.

Multiple operators can be installed in a single node enterprise and individual operators can manage the whole telephone system or individual work groups if required.

The key features are as follows:

- Configurable Busy Lamp Fields which can show the whole company, or individual departments or work groups.
- Clear indication of Incoming calls, active calls and held calls.
- Mouse or Keyboard Operation, with "drag and drop" functionality.
- Easy to use buttons for advanced functions such as conference and paging.

J OfficeSe	erv Operator - 6716[[Jane S.]										
	ools View Help											
F2	Incoming Calls	3	F3		Activ	ve Calls			F4		Held Calls	
							Duration	Louis In				
CID	DID Duratio	tion Details	CID	_	DID	State	Duration	n Details	CID	DID	Duration	Note
									4			
									4			
									4			
			<						4			
			- Caller Inform	nation		Recently	y Forwarded To	0:	4			
			Name:	í		1:		Т	4			
			Company:			2:			4			
			Title:					T	4			
			Tel No.:			3:		T	4			
			in the second se					/	4			
			Note:						<u> </u>			
Destination:	Γ		F5			Ţ	Busy Lamp F	Fields				
62	2626	16	C Tel No).	Name C	Note			Ē	Find	\mathbb{R}	
			*Total Station		11 0 CT D OO Line 201					100561 D/	20050	120701 D 00 L int
			*Total Station		[3257] DCS Line 325 [3258] DCS Line 325			[3334] DCS Line 3 [3335] DCS Line 3			CS Line 3356 CS Line 3357	[3378] DCS Line [3379] DCS Line
			*DTDS		[3258] DCS Line 325 [3259] DCS Line 325			[3335] DCS Line 3 [3336] DCS Line 3			CS Line 3357	[3379] DCS Line [3380] DCS Line
	DID		*Speed		[3260] DCS Line 326			[3337] DCS Line 3			CS Line 3359	[3380] DCS Line [3381] DCS Line
Tel	Name BLF	F 🔼			[3261] DCS Line 326			[3338] DCS Line 3			CS Line 3360	[3382] DCS Line
7227					[3262] DCS Line 326:			[3339] DCS Line 3			CS Line 3361	[3383] DCS Line
7235			4		[3263] DCS Line 3263			[3340] DCS Line 3			CS Line 3362	[3384] DCS Line
7294					[3264] DCS Line 3264			[3341] DCS Line 3			CS Line 3363	[3385] DCS Line
7302			4		[3265] DCS Line 326			[3342] DCS Line 3			CS Line 3364	[3386] DCS Line
7304			4		[3266] DCS Line 326			[3343] DCS Line 3			CS Line 3365	[3387] DCS Line
7312			4		[3267] DCS Line 326			[3344] DCS Line 3			CS Line 3366	[3388] DCS Line
7313			4		[3268] DCS Line 326			[3345] DCS Line 3			CS Line 3367	[3389] DCS Line
7317					[3269] DCS Line 3269			[3346] DCS Line 3			CS Line 3368	[3390] DCS Line
7321			4		[3270] DCS Line 327			[3347] DCS Line 3			CS Line 3369	[3391] DCS Line
7354			4		[3271] DCS Line 327			[3348] DCS Line 3			CS Line 3370	[3392] DCS Line
7365		-	4		[3272] DCS Line 327: [3273] DCS Line 327:			[3349] DCS Line 3 [3350] DCS Line 3			CS Line 3371 CS Line 3372	[3393] DCS Line [3394] DCS Line
7367			4	1	[3273] DCS Line 327. [3274] DCS Line 327.			[3350] DCS Line 3 [3351] DCS Line 3			CS Line 3372	[3394] DCS Line [3395] DCS Line
7375			4		[3275] DCS Line 327			[3352] DCS Line 3			CS Line 3374	[3396] DCS Line [3396] DCS Line
7396 7397		= /	4		[3276] DCS Line 327			[3353] DCS Line 3			CS Line 3375	[3397] DCS Line
7397			4		[3277] DCS Line 327			[3354] DCS Line 3			CS Line 3376	[3398] DCS Line
9					[3278] DCS Line 327			[3355] DCS Line 3			CS Line 3377	[3399] DCS Line
D a		~	<	> <						10011112	• E	20000120002
Done			1.00	and the second second						DND OFF	AVAIL CRL	

OfficeServ Operator Screen

Enterprise IP Solutions OfficeServ OpenTSP

The Samsung iDCS and Samsung OfficeServ 7000 product line of Telephone Systems provides connection to a Microsoft TAPI - compliant telephony application by means of the OfficeServ OpenTSP application.

This application connects to the Samsung Telephone System through the OfficeServ Link software and provides a TAPI data stream that can be used by third party software vendors, to provide additional applications to the iDCS and the OfficeServ 7000 telephone systems.

The key features are as follows:

- o Microsoft TAPI compliant Telephony Service Provider.
- OpenTSP is supplied with advanced test and Debug tools to assist in the development and implementation of Third Party applications.
- OpenTSP works together with Samsung OfficeServ applications connected to the same OfficeServ Telephone System.

💐 Samsung 🏾	TAPI Sampler -	2001		×
My Extentio	n: 2001	-	Close	
Destination:	2002		Uial	
Time 14:38:18	CallHandle 0x00010399	CallState Ringback	CallStat,	Connec 2002
		-		
(-			
Time	Event			<u> </u>
14:38:18 14:38:18	LINECALLSTA LINECALLSTA			
14:38:18	LINECALLINFO			
14:38:18	LINECALLINFO			
	dwTotalSize=0: hLine=0x000103			
	dwTrunk=0xfffff		evieceiD=uxt	
	CalledID=2002			
	ConnectedID=2 Samsung TAPI			
	oundaring the	r oumpier		
1				

OfficeServ OpenTSP Sampler Screen

TECHNICAL REQUIREMENTS for OfficeServ Link

iDCS and OfficeServ 7000 Key Telephone Requirements

The following table identifies the minimum connection and software requirements needed to connect the OfficeServ Link to the family of Key Telephone Systems.

<u>System</u>	Minimum Software Version	Connection Type
iDCS 100/500R1, iDCS 100 LE	Not Supported	Not Supported
OfficeServ 500	2.4x or higher	MCP2 LAN Interface
OfficeServ 100	2.4x or higher	SMCP1 LAN Interface
OfficeServ 7200	2.48 or higher	MCP with LAN Interface
OfficeServ 7400	3.31 or higher	MP40 with LAN Interface

OfficeServ Link Gateway PC Requirements

- Microsoft Windows 2000 (Service Pack 2 or higher), Windows XP (Service Pack 1 or higher) operating system software
- o Pentium 4 1.6Ghz (or higher) microprocessor
- o 512Mb (or higher) RAM
- o 20Gb (or larger) Hard Disk Drive
- o CD-ROM
- o 10/100 Network Interface Card (NIC)
- o Standard VGA monitor, keyboard and mouse
- o TCP/IP configuration

OfficeServ Softphone

Samsung OfficeServ Softphone is a software-based application that turns your computer into a full-featured Samsung IP telephone. It is installed directly onto your laptop or desktop PC running Microsoft Windows 2000 or XP operating system. Once a USB headset or a USB handset is connected; the Softphone delivers virtually identical functionality as the ITP-5112 L and ITP-5121D desktop ITP phones.

OfficeServ Softphone is ideal for telecommuter and mobile users. Remote workers can simply connect their laptop to the corporate network, snap in a USB headset, and function as if they were in their own office. They can place, receive, and handle calls on both the internal and external network, providing a truly portable and practical solution.



OfficeServ Softphone Skins

TECHNICAL REQUIREMENTS for OfficeServ Softphone

iDCS and OfficeServ 7000 Key Telephone Requirements

The following table identifies the minimum connection and software requirements needed to connect the OfficeServ Softphone to the family of Key Telephone Systems.

<u>Systems</u>	Minimum Software Version	Connection Type
iDCS 100/500R1, iDCS 100 LE	Not Supported	Not Supported
OfficeServ 500	2.4x or higher	MCP2 LAN Interface
OfficeServ 100	2.4x or higher	SMCP1 LAN Interface
OfficeServ 7200	2.48 or higher	MCP with LAN Interface
OfficeServ 7400	3.31 or higher	MP40 with LAN Interface

OfficeServ Softphone PC Requirements

- Microsoft Windows 2000 (Service Pack 2 or higher), Windows XP (Service Pack 1 or higher) operating system software
- o Pentium 4 1.6Ghz (or higher) microprocessor
- o 512Mb (or higher) RAM
- o 20Gb (or larger) Hard Disk Drive
- o CD-ROM
- o 10/100 Network Interface Card (NIC)
- o Bi-Directional Sound Card
- o USB Headset or USB Handset
- o Standard VGA monitor, keyboard and mouse
- TCP/IP configuration